L	Hits	Search Text	DB	Time stamp
Number	0	("NASD or ((network near2 attached) with	USPAT;	2002/07/02
_	ا	(NASD OF ((Network hear2 accached) with disk)").PN.	US-PGPUB	16:57
_	0	("NASD").PN.	USPAT;	2002/07/02
			US-PGPUB	16:57
-	0	(function\$1 or program\$1 or procedure\$1)	USPAT;	2002/07/02
	19545	<pre>with (from with server\$1) (function\$1 or program\$1 or procedure\$1)</pre>	US-PGPUB USPAT;	17:40 2002/07/03
-	19343	with server\$1	US-PGPUB	10:37
_	o	receiv\$3 with ((function\$1 or program\$1	USPAT;	2002/07/02
		or procedure\$1) with (from with	US-PGPUB	17:40
		server\$1))		0000 (07 (00
-	1566	(creat\$3 with(function\$1 or program\$1 or	USPAT; US-PGPUB	2002/07/03
_	67795	procedure\$1)) with server\$1 disk with stor\$3	USPAT;	2002/07/03
	0,,,50	alba with bootyo	US-PGPUB	10:40
-	89442	execut\$3 near4 (function\$1 or program\$1	USPAT;	2002/07/03
	_	or procedure\$1)	US-PGPUB	13:27
-	1	(offload\$3 with server\$1) with disk\$1	USPAT; US-PGPUB	2002/07/02 18:17
-	o	(direct near2 (data near2 transfer)) with	USPAT;	2002/07/02
		between with (client\$1 near4 disk\$1)	US-PGPUB	18:27
-	2	(data near2 transfer) with (between with	USPAT;	2002/07/02
	_	(client\$1 near4 disk\$1))	US-PGPUB	18:31
-	0	(NASD or ((network near2 attached) with disk)	USPAT; US-PGPUB	2002/07/02
) and ((function\$1 or program\$1 or	US-FGFUB	10.50
		procedure\$1) with server\$1) and ((creat\$3	:	
		with(function\$1 or program\$1 or		
		procedure\$1)) with server\$1) and		
		((restrict\$3 or control\$3 or manag\$3 or management) near4 access) and (disk with		
		stor\$3) and (execut\$3 near4 (function\$1		
		or program\$1 or procedure\$1)) and ((data		
		near2 transfer) with (without near4		
		server\$1))		2000/05/00
-	0	<pre>((function\$1 or program\$1 or procedure\$1) with server\$1) and ((creat\$3</pre>	USPAT; US-PGPUB	2002/07/02 18:36
		with (function\$1 or program\$1 or	OS-FGFOD	10.50
		procedure\$1)) with server\$1) and		
		((restrict\$3 or control\$3 or manag\$3 or		
		management) near4 access) and (disk with		
		stor\$3) and (execut\$3 near4 (function\$1 or program\$1 or procedure\$1)) and ((data		
		near2 transfer) with (without near4		
		server\$1))		
-	0	(NASD or ((network near2 attached) with	USPAT;	2002/07/02
		disk)	US-PGPUB	18:36
) and ((creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1)		
		and ((restrict\$3 or control\$3 or manag\$3		
		or management) near4 access) and (disk		
		with stor\$3) and (execut\$3 near4		
	1	(function\$1 or program\$1 or procedure\$1)) and ((data near2 transfer) with (without		
		near4 server\$1))		
-	0	l	USPAT;	2002/07/02
		disk)	US-PGPUB	18:36
) and ((function\$1 or program\$1 or		ĺ
		procedure\$1) with server\$1) and ((restrict\$3 or control\$3 or manag\$3 or		
		management) near4 access) and (disk with		
		stor\$3) and (execut\$3 near4 (function\$1		
		or program\$1 or procedure\$1)) and ((data		
		near2 transfer) with (without near4 server\$1))		
L	l	DETAGE 3111	L	<u> </u>

_	0	(NASD or ((network near2 attached) with disk)	USPAT; US-PGPUB	2002/07/02
) and ((function\$1 or program\$1 or procedure\$1) with server\$1) and ((creat\$3		
		with(function\$1 or program\$1 or procedure\$1)) with server\$1) and (disk		
		with stor\$3) and (execut\$3 near4 (function\$1 or program\$1 or procedure\$1))		
		and ((data near2 transfer) with (without near4 server\$1))		
_	0	(NASD or ((network near2 attached) with disk)	USPAT; US-PGPUB	2002/07/02 18:37
		<pre>) and ((function\$1 or program\$1 or procedure\$1) with server\$1) and ((creat\$3</pre>		
		with(function\$1 or program\$1 or procedure\$1)) with server\$1) and		
		((restrict\$3 or control\$3 or manag\$3 or management) near4 access) and (execut\$3		
	,	near4 (function\$1 or program\$1 or		
		<pre>procedure\$1)) and ((data near2 transfer) with (without near4 server\$1))</pre>		0000 (07 (00
_	0	(NASD or ((network near2 attached) with disk)	USPAT; US-PGPUB	2002/07/02 18:37
) and ((function\$1 or program\$1 or procedure\$1) with server\$1) and ((creat\$3	,	
	'	<pre>with(function\$1 or program\$1 or procedure\$1)) with server\$1) and</pre>		
		((restrict\$3 or control\$3 or manag\$3 or management) near4 access) and (disk with		
		stor\$3) and ((data near2 transfer) with (without near4 server\$1))		
-	1	(NASD or ((network near2 attached) with disk)	USPAT; US-PGPUB	2002/07/02
) and ((function\$1 or program\$1 or procedure\$1) with server\$1) and ((creat\$3		
		with(function\$1 or program\$1 or procedure\$1)) with server\$1) and		
		((restrict\$3 or control\$3 or manag\$3 or		
		management) near4 access) and (disk with stor\$3) and (execut\$3 near4 (function\$1		
_	0	or program\$1 or procedure\$1)) ((creat\$3 with(function\$1 or program\$1 or	USPAT;	2002/07/02
		procedure\$1)) with server\$1) and ((restrict\$3 or control\$3 or manag\$3 or	US-PGPUB	18:43
		management) near4 access) and (disk with stor\$3) and (execut\$3 near4 (function\$1		
		or program\$1 or procedure\$1)) and ((data near2 transfer) with (without near4		
	0	server\$1))	USPAT;	2002/07/02
		disk)) and ((restrict\$3 or control\$3 or	US-PGPUB	18:44
		manag\$3 or management) near4 access) and		
		(disk with stor\$3) and (execut\$3 near4 (function\$1 or program\$1 or procedure\$1))		
		<pre>and ((data near2 transfer) with (without near4 server\$1))</pre>		
_	0	disk)	USPAT; US-PGPUB	2002/07/02 18:44
) and ((function\$1 or program\$1 or procedure\$1) with server\$1) and (disk		
		with stor\$3) and (execut\$3 near4 (function\$1 or program\$1 or procedure\$1))		
		and ((data near2 transfer) with (without near4 server\$1))		
	1	Incara serverall		1

-	0	(NASD or ((network near2 attached) with disk)	USPAT; US-PGPUB	2002/07/02
) and ((function\$1 or program\$1 or procedure\$1) with server\$1) and ((creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1) and (execut\$3 near4 (function\$1 or program\$1 or procedure\$1)) and ((data near2)	65 16165	
-	0	transfer) with (without near4 server\$1)) (NASD or ((network near2 attached) with disk)) and ((function\$1 or program\$1 or procedure\$1) with server\$1) and ((creat\$3 with(function\$1 or program\$1 or	USPAT; US-PGPUB	2002/07/02 18:44
	2	procedure\$1)) with server\$1) and ((restrict\$3 or control\$3 or manag\$3 or management) near4 access) and ((data near2 transfer) with (without near4 server\$1))	исрал.	2002/07/02
-	3	<pre>(NASD or ((network near2 attached) with disk)) and ((function\$1 or program\$1 or procedure\$1) with server\$1) and ((creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1) and</pre>	USPAT; US-PGPUB	2002/07/02 18:49
		((restrict\$3 or control\$3 or manag\$3 or management) near4 access) and (disk with stor\$3)	исраж.	2002/07/02
,	2	<pre>((restrict\$3 or control\$3 or manag\$3 or management) near4 access) and (disk with stor\$3) and (execut\$3 near4 (function\$1 or program\$1 or procedure\$1)) and ((data near2 transfer) with (without near4</pre>	US-PGPUB	18:50
_	129	server\$1)) NASD or ((network near2 attached) with disk)	USPAT; US-PGPUB	2002/07/03 12:59
_	19545	(function\$1 or program\$1 or procedure\$1) with server\$1	USPAT; US-PGPUB	2002/07/03
_	1566	··-··	USPAT; US-PGPUB	2002/07/03
_	65380	(restrict\$3 or control\$3 or manag\$3 or management) near4 access	USPAT; US-PGPUB	2002/07/03
_	67795	disk with stor\$3	USPAT; US-PGPUB	2002/07/03
-	1107220	execut\$3 near4 (function\$1 or program\$1 or procedure\$1)m	USPAT; US-PGPUB	2002/07/03
-	89442	execut\$3 near4 (function\$1 or program\$1 or procedure\$1)	USPAT; US-PGPUB	2002/07/03
-	23	(data near2 transfer) with (without near4 server\$1)	USPAT; US-PGPUB	2002/07/03
-	0	(NASD or ((network near2 attached) with disk)	USPAT; US-PGPUB	2002/07/03
_	. 0) and (disk with stor\$3) and (execut\$3 near4 (function\$1 or program\$1 or procedure\$1)) and ((data near2 transfer) with (without near4 server\$1)) (NASD or ((network near2 attached) with	USPAT;	2002/07/03
		<pre>disk) disk)) and ((function\$1 or program\$1 or procedure\$1) with server\$1) and (execut\$3 near4 (function\$1 or program\$1 or procedure\$1)) and ((data near2 transfer) with (without near4 server\$1))</pre>	US-PGPUB	10:48

_	0	(NASD or ((network near2 attached) with	USPAT;	2002/07/03
		disk)) and ((function\$1 or program\$1 or procedure\$1) with server\$1) and ((creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1) and ((data near2 transfer) with (without near4	US-PGPUB	10:48
-	3	<pre>server\$1)) (NASD or ((network near2 attached) with disk)) and ((function\$1 or program\$1 or procedure\$1) with server\$1) and ((creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1) and ((restrict\$3 or control\$3 or manag\$3 or management) near4 access)</pre>	USPAT; US-PGPUB	2002/07/03 10:49
-	129	NASD or ((network near2 attached) with disk)	USPAT; US-PGPUB	2002/07/03 12:15
-	19545	(function\$1 or program\$1 or procedure\$1) with server\$1	USPAT; US-PGPUB	2002/07/03 12:16
-	1566	<pre>(creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1</pre>	USPAT; US-PGPUB	2002/07/03 12:17
_	65380	(restrict\$3 or control\$3 or manag\$3 or management) near4 access	USPAT; US-PGPUB	2002/07/03 12:20
_	67795	disk with stor\$3	USPAT; US-PGPUB	2002/07/03
-	89442	execut\$3 near4 (function\$1 or program\$1 or procedure\$1)	USPAT; US-PGPUB	2002/07/03
_	23	(data near2 transfer) with (without near4 server\$1)	USPAT; US-PGPUB	2002/07/03 12:23 2002/07/03
	331	<pre>((function\$1 or program\$1 or procedure\$1) with server\$1) and ((creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1) and ((restrict\$3 or control\$3 or manag\$3 or management) near4 access) and (disk with stor\$3)</pre>	US-PGPUB	12:26
_	253	<pre>(stor;3) (execut\$3 near4 (function\$1 or program\$1 or procedure\$1)) and ((creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1) and ((restrict\$3 or control\$3 or manag\$3 or management) near4 access) and (disk with stor\$3)</pre>	USPAT; US-PGPUB	2002/07/03 12:35
	2	<pre>((restrict\$3 or control\$3 or manag\$3 or management) near4 access) and (disk with stor\$3) and (execut\$3 near4 (function\$1 or program\$1 or procedure\$1)) and ((data near2 transfer) with (without near4 server\$1))</pre>	USPAT; US-PGPUB	2002/07/03 12:37
-	11	1	USPAT; US-PGPUB	2002/07/03 12:51
_	0	(NASD or ((network near2 attached) with disk)) and (execut\$3 near4 (function\$1 or program\$1 or procedure\$1)) and ((data near2 transfer) with (without near4	USPAT; US-PGPUB	2002/07/03 12:52
_	0	server\$1)) (NASD or ((network near2 attached) with disk)) and ((function\$1 or program\$1 or procedure\$1) with server\$1) and ((data near2 transfer) with (without near4 server\$1))	USPAT; US-PGPUB	2002/07/03 12:52

-	6	(NASD or ((network near2 attached) with disk)	USPAT; US-PGPUB	2002/07/03
) and ((function\$1 or program\$1 or procedure\$1) with server\$1) and ((creat\$3	05 10102	
		with(function\$1 or program\$1 or procedure\$1)) with server\$1)		
-	129	NASD or ((network near2 attached) with	USPAT;	2002/07/03
		disk)	US-PGPUB	13:00
-	19545	<pre>(function\$1 or program\$1 or procedure\$1) with server\$1</pre>	USPAT; US-PGPUB	2002/07/03
-	1566	(creat\$3 with(function\$1 or program\$1 or	USPAT;	2002/07/03
-	65380	procedure\$1)) with server\$1 (restrict\$3 or control\$3 or manag\$3 or	US-PGPUB USPAT;	13:05 2002/07/03
_	67795	management) near4 access disk with stor\$3	US-PGPUB USPAT;	13:11 2002/07/03
_	89442	execut\$3 near4 (function\$1 or program\$1	US-PGPUB USPAT;	13:27 2002/07/03
		or procedure\$1)	US-PGPUB	13:28
-	592	with server\$1) and ((creat\$3	USPAT; US-PGPUB	2002/07/03 13:31
		<pre>with(function\$1 or program\$1 or procedure\$1)) with server\$1) and</pre>		
		((restrict\$3 or control\$3 or manag\$3 or management) near4 access)		
-	331	((creat\$3 with(function\$1 or program\$1 or procedure\$1)) with server\$1) and	USPAT; US-PGPUB	2002/07/03
		((restrict\$3 or control\$3 or manag\$3 or	US-PGPUB	13:32
		management) near4 access) and (disk with stor\$3)		
-	6834	((restrict\$3 or control\$3 or manag\$3 or management) near4 access) and (disk with	USPAT; US-PGPUB	2002/07/03
		<pre>stor\$3) and (execut\$3 near4 (function\$1 or program\$1 or procedure\$1))</pre>		
-	14	(execut\$3 near4 (function\$1 or program\$1	USPAT;	2002/07/03
	_	or procedure\$1)) and ((data near2 transfer) with (without near4 server\$1))	US-PGPUB	
-	0	(NASD or ((network near2 attached) with disk)	USPAT; US-PGPUB	2002/07/03 13:46
) and ((data near2 transfer) with (without near4 server\$1))		
-	55	(NASD or ((network near2 attached) with disk)	USPAT; US-PGPUB	2002/07/03
) and ((function\$1 or program\$1 or procedure\$1) with server\$1)		
-	1566	((function\$1 or program\$1 or procedure\$1)		2002/07/03
		with server\$1) and ((creat\$3 with(function\$1 or program\$1 or	US-PGPUB	13:49
-	592	<pre>procedure\$1)) with server\$1) ((creat\$3 with(function\$1 or program\$1 or</pre>	USPAT;	2002/07/03
		procedure\$1)) with server\$1) and ((restrict\$3 or control\$3 or manag\$3 or	US-PGPUB	13:49
_	13841	management) near4 access) ((restrict\$3 or control\$3 or manag\$3 or	USPAT;	2002/07/03
	13041	management) near4 access) and (disk with	US-PGPUB	13:50
_	23434	stor\$3) (disk with stor\$3) and (execut\$3 near4	USPAT;	2002/07/03
-	23	(function\$1 or program\$1 or procedure\$1)) (data near2 transfer) with (without near4	US-PGPUB USPAT;	13:50 2002/07/03
_	12	server\$1) (US-5907849-\$ or US-5941969-\$ or	US-PGPUB USPAT;	13:51 2002/07/03
		US-5787437-\$ or US-6058394-\$ or US-5862403-\$ or US-5764593-\$ or	US-PGPUB	15:24
		US-6385654-\$ or US-6169988-\$ or		
		US-6144992-\$ or US-5687373-\$ or US-6185474-\$).did. or		
	L	(US-20020035451-\$).did.		

-	4	((US-5907849-\$ or US-5941969-\$ or	USPAT;	2002/07/03
		US-5787437-\$ or US-6058394-\$ or	US-PGPUB	14:23
i		US-5862403-\$ or US-5764593-\$ or		
		US-6385654-\$ or US-6169988-\$ or		
		US-6144992-\$ or US-5687373-\$ or		
		US-6185474-\$).did. or		
		(US-20020035451-\$).did.) and (select\$3 or		
		extract\$3 or retriev\$3) with (database\$1	•	
		or (data adj base\$1))		
_	8	((US-5907849-\$ or US-5941969-\$ or	USPAT;	2002/07/03
1		US-5787437-\$ or US-6058394-\$ or	US-PGPUB	14:29
		US-5862403-\$ or US-5764593-\$ or	OS FGFOD	14.25
		US-6385654-\$ or US-6169988-\$ or		
		US-6144992-\$ or US-5687373-\$ or		
		US-6185474-\$).did. or		
		(US-20020035451-\$).did.) and ((list\$3 or		
		information or data) with access\$3)		
-	0	((USPAT;	2002/07/03
		US-5787437-\$ or US-6058394-\$ or	US-PGPUB	14:34
		US-5862403-\$ or US-5764593-\$ or		
		US-6385654-\$ or US-6169988-\$ or		
		US-6144992-\$ or US-5687373-\$ or		
		US-6185474-\$).did. or		
		(US-20020035451-\$).did.) and (access\$3		
		near4 violat\$3) with ((terminat\$3 or		
		end\$3 or stop\$3) near3 abnormal\$2)		
_	0	(access\$3 near4 violat\$3) with	USPAT;	2002/07/03
	ľ	(((terminat\$3 or end\$3 or stop\$3) near3	US-PGPUB	14:37
		abnormal\$2) with (function\$1 or program\$1	03-16100	19.57
		or procedure\$1))	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2002/07/02
-	0	(access\$3 near4 violat\$3) with	USPAT;	2002/07/03
		((terminat\$3 or end\$3 or stop\$3) near3	US-PGPUB'	14:38
		abnormal\$2)		
-	27	(access\$3 near4 violat\$3) with	USPAT;	2002/07/03
		(terminat\$3 or end\$3 or stop\$3)	US-PGPUB	14:59
-	3417	"roll back" or rollback	USPAT;	2002/07/03
			US-PGPUB	15:00
-	7221	"roll back" or rollback or (roll\$3 adj1	USPAT;	2002/07/03
		back)	US-PGPUB	15:26
_	l 8	("roll back" or rollback or (roll\$3 adj1	USPAT;	2002/07/03
		back)) with (user\$1 near4(command\$1 or	US-PGPUB	15:04
		decision or decid\$3))	05 10105	1000
_	12	(US-5907849-\$ or US-5941969-\$ or	USPAT;	2002/07/03
	12	US-5787437-\$ or US-6058394-\$ or	US-PGPUB	15:24
		US-5862403-\$ or US-5764593-\$ or	US-FGFUB	13.23
		· · · · · · · · · · · · · · · · · · ·		
		US-6385654-\$ or US-6169988-\$ or		
		US-6144992-\$ or US-5687373-\$ or		
		US-6185474-\$).did. or		
	_	(US-20020035451-\$).did.		
-	0	((US-5907849-\$ or US-5941969-\$ or	USPAT;	2002/07/03
		US-5787437-\$ or US-6058394-\$ or	US-PGPUB	15:25
		US-5862403-\$ or US-5764593-\$ or		
		US-6385654-\$ or US-6169988-\$ or		
	l	US-6144992-\$ or US-5687373-\$ or		[i
		US-6185474-\$).did. or]
		(US-20020035451-\$).did.) and ((access\$3		1
		near4 violat\$3) with (terminat\$3 or end\$3		į i
		or stop\$3))		1
		01 00004077		
_	o	((US-5907849-\$ or US-5941969-\$ or	HCDATT -	2002/07/03
-	"	1 ' ' '	USPAT;	
		US-5787437-\$ or US-6058394-\$ or	US-PGPUB	15:29
		US-5862403-\$ or US-5764593-\$ or		
		US-6385654-\$ or US-6169988-\$ or		1
		US-6144992-\$ or US-5687373-\$ or		1
		US-6185474-\$).did. or		
		(US-20020035451-\$).did.) and ("roll back"		į l
4		or rollback or (roll\$3 adj1 back))		!

_	3	(("roll back" or rollback or (roll\$3 adj1 back)) with (user\$1 near4(command\$1 or decision or decid\$3))) and (stor\$3 with	USPAT; US-PGPUB	2002/07/03 15:40
		<pre>(alter\$3 or chang\$3 or edit\$4 or maintain\$3 or modif\$6 or updat\$3 or maintenance\$1) with memory)</pre>		
-	3	(("roll back" or rollback or (roll\$3 adj1 back)) with (user\$1 near4(command\$1 or decision or decid\$3))) and ((stor\$3 with (alter\$3 or chang\$3 or edit\$4 or	USPAT; US-PGPUB	2002/07/03 15:48
		<pre>maintain\$3 or modif\$6 or updat\$3 or maintenance\$1) with memory))</pre>	исръщ.	2002/07/03
-	3	<pre>(("roll back" or rollback or (roll\$3 adj1 back)) with (user\$1 near4(command\$1 or decision or decid\$3))) and ((stor\$3 with (alter\$3 or chang\$3 or edit\$4 or maintain\$3 or modif\$6 or updat\$3 or</pre>	USPAT; US-PGPUB	15:57
_	9	maintenance(1)) with memory) ((US-5907849-\$ or US-5941969-\$ or US-5787437-\$ or US-6058394-\$ or US-5862403-\$ or US-5764593-\$ or US-6385654-\$ or US-6169988-\$ or	USPAT; US-PGPUB	2002/07/03 16:02
	9	US-6144992-\$ or US-5687373-\$ or US-6185474-\$).did. or (US-20020035451-\$).did.) and (access\$3 with (id or identifier or identification) or name\$1)	USPAT;	2002/07/03
		US-5787437-\$ or US-6058394-\$ or US-5862403-\$ or US-5764593-\$ or US-6385654-\$ or US-6169988-\$ or US-6144992-\$ or US-5687373-\$ or US-6185474-\$).did. or (US-20020035451-\$).did.) and ((access\$3	US-PGPUB	16:03
-	4	with (id or identifier or identification)) or name\$1) ((US-5907849-\$ or US-5941969-\$ or US-5787437-\$ or US-6058394-\$ or US-5862403-\$ or US-5764593-\$ or US-6385654-\$ or US-6169988-\$ or US-6144992-\$ or US-5687373-\$ or US-6185474-\$).did. or	USPAT; US-PGPUB	2002/07/03 16:05
		(US-20020035451-\$).did.) and (access\$3 with ((id or identifier or identification) or name\$1))		
-	1	6052688.pn.	USPAT; US-PGPUB	2002/07/05
_	1	5862403.pn.	USPAT; US-PGPUB	2002/07/05
-	15389	client with server	USPAT; US-PGPUB	2002/07/05 16:07
-	0	5862403.pn. and (client with server)	USPAT; US-PGPUB	2002/07/05 16:08
-	108495	connect\$3 with network\$1	USPAT; US-PGPUB	2002/07/05 16:10
_	1	5862403.pn. and (connect\$3 with network\$1)	USPAT; US-PGPUB	2002/07/05 16:12
_	1	5862403.pn. and (connect\$3 with server\$1)	USPAT; US-PGPUB	2002/07/05
-	1	5862403.pn. and (connect\$3 with user\$1)	USPAT; US-PGPUB	2002/07/05
_	352	NASD or (((network adj1 attached) or "network-attached") with (disk\$1 or storage)) or (((network adj1 attached) or "network-attached") with (secure adj1	USPAT; US-PGPUB	2002/12/12
		(disk\$1 or storage)))	<u> </u>	

	9	((NASD or (((network adj1 attached) or "network-attached") with (disk\$1 or storage)) or (((network adj1 attached) or "network-attached") with (secure adj1 (disk\$1 or storage)))) and (restrict\$3 with access\$3)) and ((offload\$3 or	USPAT; US-PGPUB	2002/12/12 18:07
-	2063	off-load\$3 or (off adj1 load\$3)) with (server\$1 or host\$1)) NAS or NASD or (((network adj1 attached) or "network-attached") with (disk\$1 or storage)) or (((network adj1 attached) or "network-attached") with (secure adj1	USPAT; US-PGPUB	2002/12/12 18:06
-	86	(disk\$1 or storage))) (NAS or NASD or (((network adj1 attached)) or "network-attached") with (disk\$1 or storage)) or (((network adj1 attached)) or "network-attached") with (secure adj1 (disk\$1 or storage)))) and (restrict\$3	USPAT; US-PGPUB	2002/12/12 18:06
-	10	with access\$3) ((NAS or NASD or (((network adj1 attached) or "network-attached") with (disk\$1 or storage)) or (((network adj1 attached) or "network-attached") with (secure adj1 (disk\$1 or storage)))) and (restrict\$3 with access\$3)) and	USPAT; US-PGPUB	2002/12/12 18:07
-	34	<pre>((offload\$3 or off-load\$3 or (off adj1 load\$3)) with (server\$1 or host\$1))</pre>	USPAT; US-PGPUB	2002/12/12 20:55
-	34	with access\$3) (NASD or (((network adj1 attached) or "network-attached") with (disk\$1 or storage)) or (((network adj1 attached) or "network-attached") with (secure adj1 (disk\$1 or storage)))) and (restrict\$3	USPAT; US-PGPUB	2002/12/12 20:55
-	4	with access\$3) ((NASD or (((network adj1 attached) or "network-attached") with (disk\$1 or storage)) or (((network adj1 attached) or "network-attached") with (secure adj1 (disk\$1 or storage)))) and (restrict\$3	USPAT; US-PGPUB	2002/12/12 20:55
_	2	with access\$3)) and "user id" 200056028.PN.	USPAT; US-PGPUB; DERWENT	2003/06/26 22:14
_	18169	distributed with (server or (database\$1 or (data adj1 base\$1) or \$dbms or repositor\$3) or task\$1)	USPAT; US-PGPUB	2003/06/26 15:49
-	79	(distributed with (server or (database\$1 or (data adj1 base\$1) or \$dbms or repositor\$3) or task\$1)) and (distributed with (server or (database\$1 or (data adj1 base\$1) or \$dbms or repositor\$3) or task\$1)) with (restrict\$3)	USPAT; US-PGPUB	2003/06/26 15:51
_	19	((distributed with (server or (database\$1 or (data adj1 base\$1) or \$dbms or repositor\$3) or task\$1)) and (distributed with (server or (database\$1 or (data adj1 base\$1) or \$dbms or repositor\$3) or task\$1)) with (restrict\$3)) and (distributed with (server or (database\$1 or (data adj1 base\$1) or \$dbms or repositor\$3) or task\$1)) with (restrict\$3 with access\$3)	USPAT; US-PGPUB	2003/06/26 16:18

-	3	((distributed with (server or (database\$1	USPAT;	2003/06/26
		or (data adj1 base\$1) or \$dbms or	US-PGPUB	16:23
1		repositor\$3) or task\$1)) and (distributed		
		with (server or (database\$1 or (data adj1		·
		base\$1) or \$dbms or repositor\$3) or		
		task\$1)) with (restrict\$3)) and		
		(distributed with (server or (database\$1		
		or (data adj1 base\$1) or \$dbms or		
		repositor\$3) or task\$1)) with		
		((permission or permit\$4) with access\$3)		
-	4626	distribut\$3 with ((permission or permit\$4	USPAT;	2003/06/26
1	1	or control\$4 or restrict\$3) with	US-PGPUB	16:28
		access\$3)		·
l _	92	(distribut\$3 with ((permission or	USPAT;	2003/06/26
		permit\$4 or control\$4 or restrict\$3) with	US-PGPUB	16:51
		access\$3)) and (server\$1 with (pass\$3 or		
		offload\$3 or (off adj load\$3)) with (" id		
		" or identification or identifier\$1 or		
}		identit\$3 or (unique near2 number)))		
l <u>-</u>	61	((distribut\$3 with ((permission or	USPAT;	2003/06/26
		permit\$4 or control\$4 or restrict\$3) with	US-PGPUB	16:53
		access\$3)) and (server\$1 with (pass\$3 or	05 10105	10.03
		offload\$3 or (off adj load\$3)) with (" id		
		" or identification or identifier\$1 or		
1		identification of identifier; or identifier; or identifier; or (unique near2 number)))) and		
		(server\$1 with (pass\$3 or offload\$3 or (off adj load\$3)) with request\$1)		
	,		HCDAM.	2002/06/26
-	1	6058394.pn.	USPAT;	2003/06/26
•	_	C050304 mm and /arrest add armtural add	US-PGPUB	22:05
-	0	6058394.pn. and (access adj control adj	USPAT;	2003/06/26
		list\$1)	US-PGPUB	22:06
-	0	6058394.pn. and (acl)	USPAT;	2003/06/26
			US-PGPUB	22:06
-	0	6058394.pn. and (access with list\$1)	USPAT;	2003/06/26
			US-PGPUB	22:06
-	0	6058394.pn. and (access with area\$1)	USPAT;	2003/06/26
			US-PGPUB	22:06
-	2	200056028.PN.	USPAT;	2003/06/26
			US-PGPUB;	22:14
			DERWENT	
-	1	200056028.PN. and (secure adj network)	USPAT;	2003/06/26
			US-PGPUB;	22:15
			DERWENT	
-	0	(200056028.PN. and (secure adj network))	USPAT;	2003/06/26
		and access with control	US-PGPUB;	22:22
			DERWENT	
-	1114	access adj control adj list\$1	USPAT;	2003/06/26
1			US-PGPUB;	22:23
			DERWENT	
-	1002	(access adj control adj list\$1) and (read	USPAT;	2003/06/26
1		or write or execut\$4)	US-PGPUB;	22:36
			DERWENT	
-	349	((access adj control adj list\$1) and	USPAT;	2003/06/26
	1	(read or write or execut\$4)) and	US-PGPUB;	22:36
		(restric\$3 with access)	DERWENT	
_	0	(((access adj control adj list\$1) and	USPAT;	2003/06/26
		(read or write or execut\$4)) and	US-PGPUB;	22:33
		(restric\$3 with access)) and (violat with	DERWENT	
		access)		
_	16		USPAT;	2003/06/26
		(read or write or execut\$4)) and	US-PGPUB;	22:36
		(restric\$3 with access)) and (violat\$4	DERWENT	22.30
		with access)	PEKMENI	
l _	5	· ·	IICDAT -	2002/06/26
_] 3	((((access adj control adj list\$1) and	USPAT;	2003/06/26
		(read or write or execut\$4)) and	US-PGPUB;	22:37
		(restric\$3 with access)) and (violat\$4	DERWENT	
_		with access)) and terminat\$3	HCDAM -	2002/06/26
-	580	(access adj control adj list\$1) and (read	USPAT;	2003/06/26
]	and write and execut\$4)	US-PGPUB;	22:44
	1		DERWENT	

_	251	((access adj control adj list\$1) and (read and write and execut\$4)) and	USPAT; US-PGPUB;	2003/06/26 22:36
_	5	((estric\$3 with access) ((((access adj control adj list\$1) and	DERWENT USPAT;	2003/06/26
		<pre>(read and write and execut\$4)) and (restric\$3 with access)) and (violat\$4 with access)) and (terminat\$3 or abort\$3)</pre>	US-PGPUB; DERWENT	22:44
-	67902	(access or accessible) with area\$1	USPAT; US-PGPUB;	2003/06/26 22:42
_	596	((access or accessible) with area\$1) and (list\$1 with (access or accessible) with area\$1)	DERWENT USPAT; US-PGPUB; DERWENT	2003/06/26 22:43
-	499	(((access or accessible) with area\$1) and (list\$1 with (access or accessible) with area\$1)) and (access with permit\$4 or permission or allow\$4)	USPAT; US-PGPUB; DERWENT	2003/06/26 22:44
-	183	((((access or accessible) with area\$1) and (list\$1 with (access or accessible) with area\$1)) and (access with permit\$4 or permission or allow\$4)) and (read and write and execut\$4)	USPAT; US-PGPUB; DERWENT	2003/06/26 22:44
-	115	<pre>(((((access or accessible) with area\$1) and (list\$1 with (access or accessible) with area\$1)) and (access with permit\$4 or permission or allow\$4)) and (read and write and execut\$4)) and (terminat\$3 or abort\$3)</pre>	USPAT; US-PGPUB; DERWENT	2003/06/26 22:44
-	6	(((((access or accessible) with area\$1) and (list\$1 with (access or accessible) with area\$1)) and (access with permit\$4 or permission or allow\$4)) and (read and write and execut\$4)) and (terminat\$3 or abort\$3)) and (violat\$4 with access)	USPAT; US-PGPUB; DERWENT	2003/06/26 22:45
-	14	(((access adj control adj list\$1) and (read and write and execut\$4)) and (restric\$3 with access)) and (violat\$4 with access)	USPAT; US-PGPUB; DERWENT	2003/06/26 23:58
-	. 2	5911143.pn.	USPAT; US-PGPUB; DERWENT	2003/06/26 23:58
-	0	5911143.pn. and (id with request)	USPAT; US-PGPUB; DERWENT	2003/06/26 23:59
-	0	5911143.pn. and (id with request\$1)	USPAT; US-PGPUB; DERWENT	2003/06/26 23:59
_	1	5257367.pn.	USPAT; US-PGPUB	2003/12/11 15:52
-	357450	network	USPAT;	2003/12/15
_	5357	network and (function near2 request\$3)	US-PGPUB USPAT; US-PGPUB	17:31 2003/12/15 17:05
_	4940	<pre>(network and (function near2 request\$3)) and ((client\$1 or consumer\$1 or</pre>	USPAT; US-PGPUB	2003/12/15 17:33
	2334	<pre>customer\$1 or member\$1 or user\$1)) ((network and (function near2 request\$3)) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1))) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with (" id " or identification or identifier\$1 or identit\$3 or (unique near2 number)))</pre>	USPAT; US-PGPUB	2003/12/15 19:21

			_	
-	1970	(((network and (function near2	USPAT;	2003/12/15
		request\$3)) and ((client\$1 or consumer\$1	US-PGPUB	17:39
		or customer\$1 or member\$1 or user\$1)))		
	}	and ((client\$1 or consumer\$1 or		
		customer\$1 or member\$1 or user\$1) with ("		
		id " or identification or identifier\$1 or		
		identit\$3 or (unique near2 number)))) and		
		((execut\$3 or run or running) with		
		(application\$1 or function\$1 or program\$4		
		or procedure\$1))		
-	4	"L6" and ((restrict\$3 with access\$3) with	USPAT;	2003/12/15
		data)	US-PGPUB	17:31
-	39	"L6" and (restrict\$3 with access\$3)	USPAT;	2003/12/15
			US-PGPUB	19:21
-	2020	network and ((restrict\$3 with access\$3)	USPAT;	2003/12/15
		with data)	US-PGPUB	18:53
-	1233	(network and ((restrict\$3 with access\$3)	USPAT;	2003/12/15
		with data)) and ((client\$1 or consumer\$1	US-PGPUB	19:15
		or customer\$1 or member\$1 or user\$1) with		
		(" id " or identification or identifier\$1		
		or identit\$3 or (unique near2 number)))		
-	1031	((network and ((restrict\$3 with access\$3)	USPAT;	2003/12/15
		with data)) and ((client\$1 or consumer\$1	US-PGPUB	19:02
	}	or customer\$1 or member\$1 or user\$1) with		
		(" id " or identification or identifier\$1		
		or identit\$3 or (unique near2 number))))		
		and ((client\$1 or consumer\$1 or		
		customer\$1 or member\$1 or user\$1) with		
		request\$3)		
_	167	(((network and ((restrict\$3 with	USPAT;	2003/12/15
		access\$3) with data)) and ((client\$1 or	US-PGPUB	18:54
ļ		consumer\$1 or customer\$1 or member\$1 or		
		user\$1) with (" id " or identification or		
		identifier\$1 or identit\$3 or (unique		
		near2 number)))) and ((client\$1 or		
		consumer\$1 or customer\$1 or member\$1 or		
		user\$1) with request\$3)) and 707/\$.ccls.	1	
-	62	((((network and ((restrict\$3 with	USPAT;	2003/12/15
		access\$3) with data)) and ((client\$1 or	US-PGPUB	19:29
		consumer\$1 or customer\$1 or member\$1 or		
		user\$1) with (" id " or identification or		
[identifier\$1 or identit\$3 or (unique		
		near2 number)))) and ((client\$1 or		
		consumer\$1 or customer\$1 or member\$1 or		
		user\$1) with request\$3)) and 707/\$.ccls.)		
		and @ad<19990625		0000 (10 (25
-	54	(((((network and ((restrict\$3 with	USPAT;	2003/12/15
		access\$3) with data)) and ((client\$1 or	US-PGPUB	17:41
		consumer\$1 or customer\$1 or member\$1 or		
		user\$1) with (" id " or identification or		
		identifier\$1 or identit\$3 or (unique		
		near2 number)))) and ((client\$1 or		
		consumer\$1 or customer\$1 or member\$1 or		
		user\$1) with request\$3)) and 707/\$.ccls.)		1
	Į.	and @ad<19990625) and ((select\$3 or		
		execut\$3 or run or running) with		
		(application\$1 or function\$1 or program\$4		1
		or procedure\$1))	I	

22 ((((((network and ((reienti) or consumersi) or customersi) or customersi) or customersi or proceduresi))) and ((calentsi) or programsi or proceduresi))) and ((parametersi with (sapplicationsi or functionsi) or programsi or customersi or customersi or customersi or customersi or defentification or identification				-	
Select\$3 near2 function\$1		22	access\$3) with data)) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with (" id " or identification or identifier\$1 or identit\$3 or (unique near2 number)))) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with request\$3)) and 707/\$.ccls.) and @ad<19990625) and ((select\$3 or execut\$3 or run or running) with (application\$1 or function\$1 or program\$4 or procedure\$1))) and (parameter\$1 with (application\$1 or function\$1 or program\$4	1	
G680	-	59003			
179	-	6680	((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with (" id " or identification or identifier\$1 or	USPAT;	2003/12/15
Total	-	179	<pre>((select\$3 near2 function\$1) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with (" id " or identification or identifier\$1 or identit\$3 or (unique near2 number)))) and</pre>	l ·	
S	-	74	<pre>(((select\$3 near2 function\$1) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with (" id " or identification or identifier\$1 or identit\$3 or (unique near2 number)))) and ((restrict\$3 with access\$3) with data))</pre>	· ·	1
Colient near2 request\$1 Separation Sep	-	5	<pre>((((select\$3 near2 function\$1) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with (" id " or identification or identifier\$1 or identit\$3 or (unique near2 number)))) and ((restrict\$3 with access\$3) with data))</pre>	· '	1
13283 client near2 request\$1 USPAT; USPA	-	5	<pre>(((((select\$3 near2 function\$1) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with (" id " or identification or identifier\$1 or identit\$3 or (unique near2 number)))) and ((restrict\$3 with access\$3) with data)) and @ad<19990625) and 707/\$.ccls.) and ((client\$1 or consumer\$1 or customer\$1 or</pre>		•
7560 (client near2 request\$1) and ((client\$1 or consumer\$1 or customer\$1 or member\$1 or user\$1) with (" id " or identification or identifier\$1 or identit\$3 or (unique near2 number))) - 56 "L23" and (execut\$3 with function\$1)	-	13283			
- 56 "L23" and (execut\$3 with function\$1) USPAT; US-PGPUB 19:16 10 ("L23" and (execut\$3 with function\$1)) USPAT; US-PGPUB 19:16 8 (("L23" and (execut\$3 with function\$1)) USPAT; US-PGPUB 19:16 8 (("L23" and (execut\$3 with function\$1)) USPAT; US-PGPUB 19:16 access\$3 2 (("L23" and (execut\$3 with function\$1)) and access\$3 (("L23" and (execut\$3 with function\$1)) USPAT; US-PGPUB 19:17 and (function\$1 with parameter\$1)) and restrict\$3 access adj control USPAT; US-PGPUB 19:20 1228 (access adj control) and SQL USPAT; US-PGPUB 19:20	-	7560	or consumer\$1 or customer\$1 or member\$1 or user\$1) with (" id " or identification or identifier\$1 or identit\$3 or (unique	USPAT;	2003/12/15
and (function\$1 with parameter\$1)	-		"L23" and (execut\$3 with function\$1)	US-PGPUB	19:16
and (function\$1 with parameter\$1)) and access\$3 - 2 ("L23" and (execut\$3 with function\$1)) and function\$1 with parameter\$1)) and restrict\$3 - 25005 access adj control - 1228 (access adj control) and SQL US-PGPUB 19:17 US-PGPUB 19:20 USPAT; 2003/12/15 US-PGPUB 19:20 USPAT; 2003/12/15	_		and (function\$1 with parameter\$1)	US-PGPUB	19:16
- 2 (("L23" and (execut\$3 with function\$1)) and (function\$1 with parameter\$1)) and restrict\$3 - 25005 access adj control USPAT; US-PGPUB 19:20 - 1228 (access adj control) and SQL USPAT; US-PGPUB 19:20		8	and (function\$1 with parameter\$1)) and		
- 25005 access adj control USPAT; 2003/12/15 US-PGPUB 19:20 1228 (access adj control) and SQL USPAT; 2003/12/15	-	2	(("L23" and (execut\$3 with function\$1)) and (function\$1 with parameter\$1)) and	· ·	
- 1228 (access adj control) and SQL USPAT; 2003/12/15	-	25005	· · · · · · · · · · · · · · · · · · ·		
	-	1228	(access adj control) and SQL	USPAT;	2003/12/15

Search History 1/5/04 10:31:53 PM Page 12

-	381	((access adj control) and SQL) and	USPAT;	2003/12/15
		(restrict\$3 with access\$3)	US-PGPUB	19:21
-	331	(((access adj control) and SQL) and	USPAT;	2003/12/15
		(restrict\$3 with access\$3)) and	US-PGPUB	19:21
		((client\$1 or consumer\$1 or customer\$1 or		
İ		member\$1 or user\$1) with ("id "or		
		identification or identifier\$1 or		
	ا م	identit\$3 or (unique near2 number))) ((((access adj control) and SQL) and	HCDAT.	2003/12/15
-	46	((((access ad) control) and son, and (restrict\$3 with access\$3)) and	USPAT; US-PGPUB	19:29
		((client\$1 or consumer\$1 or customer\$1 or	OS FGFOB	13.23
		member\$1 or user\$1) with (" id " or		
		identification or identifier\$1 or		
		identit\$3 or (unique near2 number)))) and		
		@ad<19990625		
-	17	(((((access adj control) and SQL) and	USPAT;	2003/12/15
		(restrict\$3 with access\$3)) and	US-PGPUB	19:30
		((client\$1 or consumer\$1 or customer\$1 or		
		member\$1 or user\$1) with (" id " or		
		identification or identifier\$1 or		
		identit\$3 or (unique near2 number)))) and		
1	_	@ad<19990625) and 707/\$.ccls.	11055	2002/12/15
-	1	6226745.pn.	USPAT;	2003/12/15
	,	6226745 mm and	US-PGPUB USPAT;	20:35
-	1	6226745.pn. and network	USPAT; US-PGPUB	2003/12/15
1_	1	6226745.pn. and (data with (storage or	US-PGPUB USPAT:	20:35
-	1	storing or stored))	US-PGPUB	20:53
_	1	6226745.pn. and (disk)	USPAT;	2003/12/15
	_	ozzoriotpiii diid (dzon)	US-PGPUB	20:56
_	1	6226745.pn. and (disk with data)	USPAT;	2003/12/15
		•	US-PGPUB	21:00
-	1	6226745.pn. and (database with stor\$3)	USPAT;	2003/12/15
			US-PGPUB	21:03
-	1	6226745.pn. and (request\$1)	USPAT;	2003/12/15
	_		US-PGPUB	21:06
-	1	6226745.pn. and (id)	USPAT;	2003/12/15
	,	6226745 nn and /minny on minning)	US-PGPUB USPAT;	21:07 2003/12/15
-	1	6226745.pn. and (query or queries)	US-PGPUB	21:10
_	1	6226745.pn. and ((query or queries) with	USPAT;	2003/12/15
	1	select\$3)	US-PGPUB	21:12
_	1	l	USPAT;	2003/12/15
	_	queries))	US-PGPUB	21:19
-	1	• · · · · · · · · · · · · · · · · · ·	USPAT;	2003/12/15
		-	US-PGPUB	21:20
-	1	6226745.pn. and (identif\$3 with user\$1)	USPAT;	2003/12/15
			US-PGPUB	21:22
-	1	6226745.pn. and (id)	USPAT;	2003/12/15
	_	6407550	US-PGPUB	21:22
-	1	6487552.pn.	USPAT;	2003/12/15
1_	1	6487552.pn. and disk	US-PGPUB USPAT;	21:31 2003/12/15
-	1	040/332.pn. and disk	US-PGPUB	2003/12/13
_	1	6487552.pn.	USPAT;	2003/12/15
	1		US-PGPUB	21:53
-	1	6487552.pn. and (based with user)	USPAT;	2003/12/15
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	US-PGPUB	21:53
-	0	6226745.pn. and (user adj id)	USPAT;	2004/01/05
1			US-PGPUB	16:24
-	0	6226745.pn. and (client adj id)	USPAT;	2004/01/05
			US-PGPUB	16:24
-	1	6226745.pn.	USPAT;	2004/01/05
	l		US-PGPUB	16:25